

# Kubota®

MOWING  
RANGE



**SHAPING AUSTRALIA & NEW ZEALAND**

[KUBOTA.COM.AU](http://KUBOTA.COM.AU) | [KUBOTA.CO.NZ](http://KUBOTA.CO.NZ)



## PREMIUM LAWN CARE EQUIPMENT

Offering high performance, outstanding fuel economy and exceptional reliability, Kubota's wide range of residential and commercial mowers are engineered to reduce workloads and increase productivity.

From ride on mowers and zero turns, out front and walk behind mowers to the BX/B Series tractors with mower deck attachments, Kubota has the mower to suit every operator.

Designed for superior comfort, Kubota mowers also deliver exceptional power to tackle even the most demanding jobs – mowing is no longer a chore but a pleasure.

Please refer to the comparison chart below to find a product that suits your application.

## KUBOTA MOWING RANGE COMPARISON CHART

							
<b>T SERIES</b>	<b>GR SERIES</b>	<b>Z SERIES</b>	<b>Z SERIES</b>	<b>Z SERIES</b>	<b>F SERIES</b>	<b>LAWN CARE</b>	<b>BX &amp; B SERIES</b>
Residential	Residential	Residential	Semi-Professional and Commercial	Commercial	Commercial	Residential & Professional	Residential and Professional
Ride On Mower	Ride On Mower	Zero Turn Mower	Zero Turn Mower	Zero Turn Mower	Out-Front Mower	Self Propelled Push Mowers	Tractors + Mower Deck
Petrol	Diesel	Petrol	Petrol	Diesel	Diesel	Brushcutters	Diesel
20 - 21.5HP	21HP	22 - 25HP	22 - 33HP	15 - 29HP	28 - 36HP	Hedge Trimmer	18 - 31HP
42", 48" Mower Decks	48", 54" Mower Decks	42", 48", 54" Mower Decks	48", 54", 60", 72" Mower Decks	54", 60", 72" Mower Decks	60", 72" Mower Decks	Handheld Blower	54", 60", 72" Mower Decks
-	All-Wheel Drive	-	-	-	4WD		4WD
FOR ALL FEATURES REFER TO PAGE 4-7	FOR ALL FEATURES REFER TO PAGE 8-11	FOR ALL FEATURES REFER TO PAGE 12-15	FOR ALL FEATURES REFER TO PAGE 16-21	FOR ALL FEATURES REFER TO PAGE 22-25	FOR ALL FEATURES REFER TO PAGE 26-29	FOR ALL FEATURES REFER TO PAGE 30-31	FOR ALL FEATURES REFER TO PAGE 32-35

# T SERIES

## PETROL RIDE ON MOWERS

Powerful, efficient and comfortable, Kubota's T Series ride-on mower range has been created with the residential customer in mind. We know your time is valuable, that's why we created the T Series range to help you get more out of your day, achieving perfectly manicured lawns without the fuss. With easy maintenance and long service life, you will come to rely on the Kubota T Series for years of dependable use.

**1 POWERFUL ENGINES**

**PETROL-POWERED MOWERS**

The Kubota T Series features powerful twin cylinder petrol engines combining formidable performance and efficiency.

**2 EASY OPERATION**

**RIDE ON SIMPLICITY**

Equipped with a hydrostatic transmission for easy and precise operation. Control speed and direction changes with a single pedal.

**3 HEAVY-DUTY FABRICATED MOWER DECK**

**PROFESSIONAL RESULTS**

Built with Kubota's reputation for quality, fabricated mower decks deliver perfectly manicured lawns.

**4 CUTTING HEIGHT DIAL**

**SIMPLE ADJUSTMENTS**

Adjust cutting heights in 1/4" increments with a simple turn of the dial.

**5 DELUXE OPERATOR AREA**

**ALL-DAY COMFORT**

Stay comfortable during long mowing jobs with our fully-flat operator platform, high back seat with suspension, and cruise control.

T SERIES FEATURES

SPECIFICATIONS	T2090BR	T2290KW	T2290KWT
Engine Type	2-Cylinder, Air-Cooled Petrol	2-Cylinder, Air-Cooled Petrol	2-Cylinder, Air-Cooled Petrol
Horsepower	20	21.5	21.5
Transmission		HST	
Transmission Drive		Belt Drive	
Cutting Width (in.)	42"	42"	48"
Weight (kg)	270	282	300
Cutting Height		1.0-4.0" (25-102mm)	
No. of Blades	2	2	3
21" Seat		Standard	
Armrest	N/A	Standard	Standard
Suspension	Spring	Parallel Link	Parallel Link
Mower Deck Lift		Manual, Hand-Operated	



T2290

# QUALITY AT EVERY TURN



T2290



T2290

## 6 EASY MANOEUVRABILITY SHORT 14" TURNING RADIUS

Our best-in-class turning radius means 14" is all you need to turn a T Series lawn tractor. Easily manoeuvre around posts, light fixtures, and other hard to mow-around objects— also comes in handy when transporting and storing.

## 7 STRONG AND DURABLE FRONT AXLE

Cast from ductile cast iron, the T Series strong, durable front axle easily handles the bumps and shocks of extreme mowing jobs to ensure a long, dependable service life.

## 8 CUSTOMISED COMFORT SUSPENSION SEAT (T2290)

The T2290 features parallel link suspension that delivers even greater levels of comfort and support. The seat adjusts a full 4 inches forward and back, letting you customise your perfect driving position.

## 9 FINER MULCH MULCHING KIT (OPTIONAL)

An optional mulching kit converts the mower deck into a high-precision mulching deck that produces an even finer mulch and sends it straight back into the turf.

## 10 SUPERIOR CUTTING CUTTING HEIGHT ADJUSTMENT

Adjust cutting height is as easy as a, b, c:

a) Pull the lever to lift the deck. b) Use the dial to adjust the cutting height. c) Release the lever to lower the deck

## 11 ENHANCED DURABILITY TUBULAR FRAME

A new tubular-frame structure enhances the T Series already exceptional durability, rigidity, and strength.

## 12 TIME SAVING GRASS CATCHER (OPTIONAL)

Boost efficiency with a 2-bag grass catcher with a huge 247 litre capacity.



# GR SERIES

## DIESEL ALL-WHEEL DRIVE RIDE ON MOWERS

Kubota's GR Series all-wheel drive, diesel-powered ride-on mowers are built to last. Fuel efficient, reliable and requiring little routine maintenance, the GR Series is ideal for residential operators that require a mower that tackles hilly terrain and the toughest mowing jobs with ease.

**1 RELIABLE ENGINES**

**DIESEL POWERED**

The GR Series uses a 3-cylinder Kubota diesel engine, renowned worldwide for its reliability.

**2 TIGHT TURNING**

**GLIDE STEER TECHNOLOGY**

Front wheels can turn up to 70 degrees, and inside rear wheel tracks freely when completing turns, enabling extremely tight turning.

**3 STURDY AND SAFE**

**ALL-WHEEL DRIVE**

Perfect for rolling terrain, the GR series all-wheel drive delivers outstanding traction when you need it most.

**4 HIGH-END FEATURES**

**HYDROSTATIC TRANSMISSION AND SHAFT DRIVE**

Single foot pedal for precise control. It's also got shaft-driven mowers, transmissions, and a hydraulic PTO clutch for trouble-free operation and longer life.

**5 CUTTING MADE EASY**

**MOWER DECK**

Contoured mower decks come in two sizes, 48" and 54" that raise and lower hydraulically. You can adjust cutting height in 1/4" increments with the turn of a dial.

**6 SUPER-COMFORTABLE**

**ERGONOMIC OPERATOR AREA**

A fully flat operator platform, high back suspension seat and cruise control provides plenty of comfort for long days.

GR SERIES FEATURES

SPECIFICATIONS	GR2120-48	GR2120-54
Engine Type (Kubota)	3-Cylinder, Water-Cooled, Diesel	
Horsepower	21	
Transmission	HST	
Transmission Drive	Shaft Drive	
Cutting Width (in.)	48"	54"
Weight (kg)	440	
Cutting Height	1.0-4.0" (25-102mm)	
No. of Blades	3	
Seat Suspension	Mechanical Suspension with Weight Adjustment	
Mower Deck Lift	Hydraulic Deck Lift	




GR2120

# KING OF THE HILL



GR2120



**OUTSTANDING TRACTION**  
When driving in a straight direction, the GR2120 provides outstanding traction with all-wheel drive.

**SHARP TURNING**  
To provide the sharpest turn possible, both front wheels turn an incredible 70 degrees.

**7 REVOLUTIONARY TECHNOLOGY**  
**GLIDE STEER**

Kubota's revolutionary technology delivers sharp turns that minimise potential turf damage below standard 2WD lawn tractors. With "Glide Steer's" precise control and exceptional traction, GR2120 lawn tractors can cut in confined areas and cut down your overall mowing time, too. Add them all up, and you've got the most manoeuvrable and powerful lawn tractor Kubota's ever built.

**8 PRECISE CONTROL**  
**GLIDE STEER**

Here's how our technology works. The inside rear wheel begins to track freely when you start turning the GR2120, enabling a tight turn that prevents turf damage.

**9 PROFESSIONAL RESULTS**  
**DURABLE DECKS**

Constructed of durable 10-gauge steel and designed with a 5-inch deep shell for professional and lasting results you can rely on. And with its easy-to-reach cutting height adjustment dial and hydraulic mower deck lift, getting professional results just became easier.

**10 ENHANCED DURABILITY**  
**U-FRAME PLATFORM**

Starting with a 8mm U-frame platform, every component from the ground up has been designed to provide significant durability for years of service. Hydraulic PTO and shaft drives are only a few farm tractor features that distinguish the GR from its competition.

**11 FINER MULCH**  
**MULCHING KIT (OPTIONAL)**

A one-piece unit that's easy to install, our mulch system makes clippings disappear into your grass, creating a healthier lawn.

**12 TIME SAVING**  
**GRASS CATCHER (OPTIONAL)**

Incredibly sturdy yet lightweight, the large-capacity, 350-litre grass catcher lets you mow longer with fewer stops for emptying.



# Z SERIES RESIDENTIAL

## PETROL ZERO TURN MOWERS

The Kubota zero-turn mower is powered by a high performing engine. The Z200 Series manoeuvres through landscapes with comfort and ease. Have it all - style, comfort and performance, matched With Kubota's excellence in quality and durability. Engineered especially for the homeowners with exclusive, easy-to-use features.

- 1 SUPERIOR NAVIGATION**  
**ZERO-TURN MANOEUVRABILITY**  
 Mow around garden beds, trees, and obstacles with ease.
- 2 PROFESSIONAL RESULTS**  
**HIGH-QUALITY MOWER DECK**  
 10-gauge welded steel mower decks, built to last.
- 3 CUTTING HEIGHT DIAL**  
**EASY ADJUSTMENTS**  
 Make simple changes to cutting heights with the turn of a dial.
- 4 SUPER-COMFORTABLE**  
**ERGONOMIC OPERATOR AREA**  
 Enjoy a comfortable seating position with plenty of legroom, adjustable handles, storage boxes, and cup holders.
- 5 STAND-OUT STABILITY**  
**LARGE, LOW-PROFILE TYRES**  
 Protect your lawn with wide tread tyres for better traction and weight distribution.
- 6 POWER AND PERFORMANCE**  
**ENGINE, TRANSMISSION & MOWER DECK**  
 Features commercial grade transmissions, your choice of engine, and mower decks available in various sizes to match your needs.

Z200 SERIES FEATURES

SPECIFICATIONS	Z231KW	Z231BR	Z251BR	Z231KH	Z251KH
Engine Type	Petrol, Air-Cooled, V-Twin				
Horsepower	22	22	25	21	25
Transmission	2-HST				
Transmission Drive	Belt Drive				
Cutting Width (in.)	42"	48"	54"	48"	54"
Weight (kg)	282	335	340	340	350
Cutting Height	1.5 - 4.5" (38-108mm)		1.5 - 4.5" (38 - 114mm)		
No. of Blades	2	3	3	3	3
Seat Suspension	N/A	Optional	Optional	Standard	Standard
Mower Deck Lift	Manual Foot Operated				



Z251

# SUPERIOR NAVIGATION



Z231KH



Z251KH

- 7 USER-FRIENDLY CONTROL PANEL**  
All controls and indicators are neatly placed for quick and easy, user-friendly access.
- 8 SMOOTH OPERATION LEVERS DUAL-OPERATION LEVERS**  
Deliver the smooth, precise control you'll need for delicate trimming and mowing around trees and flowerbeds
- 9 CONVENIENCE LED HEADLIGHTS**  
Bright LED headlights lets you continue mowing in low light conditions. It's standard on KH models, optional on KW & BR models.

- 10 PRECISE CONTROL K-LIFT (MECHANICAL ONE PUSH DECK LIFT PEDAL)**  
The K-Lift pedal means adjusting cutting height is extra simple:  
a. Push and release the pedal to raise the deck.  
b. Use the dial to adjust the cutting height.  
c. Push and release the pedal again to lower the deck.
- 11 FINER MULCH MULCHING KIT (OPTIONAL)**  
Reduce yard waste and help nourish your lawn. Each mulching blade is surrounded by baffles to create more lift, cutting grass into tiny clippings that help keep your lawn healthy.
- 12 USER-FRIENDLY GRASS CATCHER (OPTIONAL)**  
Easily attach or detach the grass catcher in minutes without using tools.



# Z SERIES SEMI-PROFESSIONAL & COMMERCIAL PETROL ZERO TURN MOWERS

Kubota's semi professional Z series is equally suited to a commercial crew, suburban lawn or rural acreage. Powered by powerful petrol engines, featuring high quality fabricated mower decks, with a hydraulic deck lift system, expect exceptional cutting performance and comfort, job after job.

**1 ALL THE POWER YOU NEED  
ENGINE AND TRANSMISSION**

Power from the engine is delivered to the wheels through a commercial grade transmissions, designed to stand up in tall grass and rugged environments.

**2 FATIGUE FREE OPERATION  
ERGONOMIC OPERATOR AREA**

Adjustable dual control levers provide smooth, precise control, while a high back suspension seat keeps you comfortable even on those extra-long mowing jobs.

**3 PROFESSIONAL CUTTING PERFORMANCE  
STEEL WELDED MOWER DECK**

Heavy duty fabricated 48", 54", 60" & 72" mower decks.

**4 SECURE PARKING  
PARKING BRAKE**

A foot pedal locks the brake so the unit can't move, ensuring safe and secure parking.

**5 COMFORT  
WIDE FOOT PAN**

There's plenty of legroom up front, thanks to a wide foot pan making entry and exit a snap.

**6 ROUTINE CHECKS MADE SIMPLE  
MAINTENANCE HATCH**

The maintenance hatch on the floor platform gives easy access to the upper mower, gearbox case and universal joint parts.

Z SERIES FEATURES



SPECIFICATIONS	Z411	Z421	ZG222	ZG227	ZG327	ZG332
Engine Type	Petrol, Air-Cooled, V-Twin	Petrol, Air-Cooled, V-Twin	Kubota 3-Cylinder, Liquid Cooled, Petrol			
Horsepower	22	24	22	27	27	33
Transmission	2-HST					
Transmission Drive	Belt Drive	Belt Drive	Shaft Drive	Shaft Drive	Shaft Drive	Shaft Drive
Cutting Width (in.)	48"	54"	48"	54"	60"	72"
Weight (kg)	394	400	534	544	668	778
Cutting Height	1.5-5.0" (38-127mm)	1.5-5.0" (38-127mm)	1.5-4.5" (38-114mm)	1.0-5.0" (25-127mm)	1.0-5.0" (25-127mm)	1.0-5.0" (25-127mm)
No. of Blades	3					
Seat Suspension	Standard					
Mower Deck Lift	Manual Foot Operated	Manual Foot Operated	Hydraulic Foot Operated	Hydraulic Foot Operated	Hydraulic Foot Operated	Hydraulic Foot Operated

Z411

# SMOOTH OPERATION

Z411



Z411

## Z400 SERIES

### ① SAFETY AND EFFICIENCY

#### FOLDABLE ROPS\*

The ROPS\* on the Z400 folds down so you can pass under low obstructions and store your mower in a garage or shed effortlessly.

### ② DELIVER BETTER TRACTION

#### LOW-PROFILE TYRE

The Z400 Series' wide, low-profile tyres look good and deliver better traction for all types of mowing tasks. They also have a larger footprint that reduces ground compaction and turf damage during turns. Big 24" rear tyres mean a softer ride.

### ③ CONVENIENCE

#### 12V POWER OUTLET

Charge your phone or other accessories while mowing the lawn. The Z400 also has an integrated smart phone holder.

### ④ PRECISE CONTROL

#### 127MM DEEP WELDED MOWER DECK

The steel welded mower deck delivers outstanding, professional-level cutting performance. A reinforced spindle mount area improves durability.

### ⑤ FINER MULCH

#### MULCHING KIT (OPTIONAL)

Reduce yard waste and help nourish your lawn. Each mulching blade is surrounded by baffles to create more lift, cutting grass into tiny clippings that help nourish lawns.

### ⑥ USER-FRIENDLY

#### GRASS CATCHER (OPTIONAL)

Easily attach or detach the grass catcher in minutes without using tools.



\*Rollover Protective Structure (ROPS).

# SUPERIOR MOWING



ZG227



ZG327

## ZG200 / ZG300 SERIES

### 1 QUIET OPERATION

#### KUBOTA PETROL ENGINES

Our V-Twin, air-cooled engines are specifically designed for mowing. They feature Kubota's clean-flow structure to eliminate grass from clogging the wide cooling air passages. A removable engine cover ensures easy access.

### 2 MAXIMUM CUTTING OPERATION

#### PRO-COMMERCIAL MOWER DECKS

6" and 6.5" deep, double V-belt decks feature a unique baffling system that improves airflow to discharge grass clippings. Kubota's flow plate design optimises airflow to allow repeated cutting, and special mulching blades provide an extra-fine cut for a beautiful finish. Decks available in 48", 54", 60" and 72".

### 3 RAISING PERFORMANCE LEVELS

#### KUBOTA RELIABLE HYDROSTATIC TRANSMISSION

Regulated by an efficient gear hydraulic charge pump, the HST delivers smooth control, quiet operation and a quick response. Plus, the durable copper metal cylinder block ensures transmission durability and performance.

### 4 ROUTINE CHECKS MADE SIMPLE

#### MAINTENANCE

Your seat panel raises for clear access and an unobstructed view of the mower's interior. Open the hood and it's simple to perform routine maintenance jobs in seconds. A maintenance hatch on the floor platform gives easy access to the upper mower, gearbox case, and universal joint parts. Kubota's innovative two-pin, tilt-up lift feature allows you to raise the front of the mower easily without removing the mid-mount mower.

### 5 MOWING FOR LONGER

#### LARGE FUEL TANK

The large 27 and 48 litre fuel tanks keep the ZG Series mowing for more than 6 hours between refuelling stops (depending on conditions).

### 6 LARGE CAPACITY

#### GRASS CATCHER (OPTIONAL)

The large capacity catcher allows the operator to mow longer over a larger area without stopping as often to empty clippings.



# ZD SERIES COMMERCIAL

## DIESEL ZERO TURN MOWERS

Kubota diesel zero-turns feature powerful engines, providing high performance and grunt when you need it most. Packed with clever features and commercial-grade mower decks, the ZD series allows you to take on the toughest mowing jobs with ease.

**1 SUPERIOR NAVIGATION**

**ZERO-TURN MANOEUVRABILITY**

Reduce time on the job with zero-turn manoeuvrability allowing fast operation around trees and garden beds.

**2 PROFESSIONAL RESULTS**

**HIGH-QUALITY MOWER DECK**

Fabricated commercial mower decks feature Kubota's all-new ACS technology that boosts airflow to efficiently cut and discharge grass clippings, all while reducing fuel consumption.

**3 STABILITY**

**LOW PROFILE TYRES & FRONT AXLE**

Wide tread tyres for better traction and weight distribution, and adjustable front axle that follows ground contours for increased stability on undulating ground

**4 EASY ADJUSTMENTS**

**WORK MADE EASY**

Make simple changes to cutting height with a turn of the dial. Raise and lower the mower deck with hydraulic pedals and steer with levers requiring minimal operator force, keeping you comfortable all day.

**5 POWER AND PERFORMANCE**

**ENGINE, TRANSMISSION & MOWER DECK**

Features smooth-running commercial-grade HST transmissions, your choice of engine capacity and side or rear discharge mower decks, available in 3 sizes to match your needs.

**6 PREMIUM MODELS**

**EXTRA COMFORT**

Models come standard with comfortable bucket seats with suspension, ergonomic controls and large foot platform.

ZD SERIES FEATURES



ZD1221-72

SPECIFICATIONS	GZD15-3HD	ZD1011-54	ZD1211-60	ZD1221R-60R	ZD1221L-72	ZD1221RL-72R
Engine Type (Kubota)	Diesel, Liquid-Cooled, 2-Cylinder		Diesel, Liquid-Cooled, 3-Cylinder			
Horsepower	15	19.3	24.8	29.1	29.1	29.1
Transmission	2-HST					
Transmission Drive	Shaft Drive					
Cutting Width (in.)	42" Rear Discharge, Direct Catch	54" Side Discharge	60" Side Discharge	60" Rear Discharge	72" Side Discharge	72" Rear Discharge
Weight (kg)	540	600	760	765	790	805
Cutting Height	1.0-5" (25-127mm)					
Seat Suspension	Deluxe – Reclining & Lumbar Support	Deluxe	Deluxe – Reclining & Lumbar Support			
No. of Blades	2			3		
Mower Deck Lift	Hydraulic Foot Operated					

# THE HEIGHT OF PRECISION



ZD1011



ZD1221

**7 IMPROVED AIRFLOW PRO DECK**

The airflow inside the mower deck is optimised for efficiency by preventing clippings from clumping and sticking to the walls of the deck, and recirculating to be cut again. The improved airflow also results in reduced power consumption and better work efficiency.

**8 IMPROVED FUEL EFFICIENCY LESS FUEL**

The ZD Series does more on less fuel, thanks to the ACS Kubota PRO deck's more efficient cutting performance and better fuel/ horsepower balance.

**9 SIMPLE ROUTINE MAINTENANCE EASY MOWER AND ENGINE ACCESS**

Quick and easy maintenance of all the critical parts and functions when needed. A special maintenance hatch under the platform mat provides fast access to the upper mower, mower belt, gearbox case, universal joint and oil filter. Routine maintenance underneath the mower is quick and simple, thanks to Kubota's innovative two-pin, tilt-up maintenance lift. A simple operation raises the front of the ZD Series even with the mower deck still attached.

**10 HANDS-FREE PARKING BRAKE & HYDRAULIC DECK LIFT**

Conveniently located on the platform under your feet, the parking brake can be easily engaged and released by pressing it with either foot while keeping both hands on the HST levers. A 2-pedal hydraulic deck lift system keeps you mowing in spite of obstacles by letting you easily raise and lower the deck with your foot.

**11 OPTIMIZED MOWING COMFORT ADJUSTABLE FRONT AXLE (OSCILLATING/RIGID)**

Choose from two front-axle set-ups to optimize mowing comfort and performance: adjustable for a smooth ride, or rigid for an even cut while mowing on rough terrain.

**12 CATCH ALL – GRASS CATCHERS 2-BAG & HOPPER STYLE (OPTIONAL)**

Hopper style grass catcher holds 402 litres of clippings. The hopper is easy to remove and can be emptied while the operator remains seated. The 2-bag style grass catcher holds even more, allowing the operator to mow longer between stops to empty the grass catcher. To empty it, simply unlock the lid, and the bag slides out.



# F SERIES

## DIESEL OUT FRONT MOWERS

The Kubota F Series challenges the status quo, setting a new standard for professional, out-front mowers. Powered by Kubota’s diesel engines, renowned worldwide for their exceptional reliability, the Kubota F series features hydrostatic transmission for quicker response, increased work speed and more muscle to tackle the toughest mowing conditions.

**1 POWER & PERFORMANCE**

**HIGH-QUALITY ENGINES**

Powerful 28 or 36 HP Kubota diesel engines cut through even the most challenging conditions. They’re also environmentally friendly, thanks to their enhanced combustion efficiency and low vibration levels.

**2 GET THE JOB DONE**

**SUPER-RESPONSIVE**

Features single-speed pedal hydrostatic transmission for quicker responses, increased working speeds, and more muscle for tough jobs.

**3 GREATER CONTROL**

**4WD POWER**

Auto-Assist 4WD works in forward and reverse, automatically controlling the drive loads on the wheels during turns. Auto-Assist 4WD lets you turn with greater efficiency and ease with less wear and tear on the turf. Fulltime 4WD can also be engaged.

**4 PROFESSIONAL RESULTS**

**GET A CLEAN CUT**

6” deep mower decks deliver greater capacity and enhanced performance with a fabricated steel design to provide years of reliable cutting performance with minimal maintenance.

**5 SIMPLE ACCESS**

**EVERYTHING IS EASY**

Get unobstructed access to blades and the deck’s underside for easier cleaning with the 90-degree tilt mower deck. The F3690-AU-SN offers a standard Air Suspension Seat for greater comfort.

**6 EASY DOES IT**

**POWER STEERING**

Make light work of big jobs with hydrostatic power steering.

F SERIES FEATURES



F3690

SPECIFICATIONS	F2890	F3690	F3690SN
Engine Type (Kubota)	Diesel, Liquid Cooled, 3-Cylinder		
Horsepower	28	36	36
Transmission	HST (2 Range)		
Drive Method	2WD and 4WD Selection		
Transmission Drive	Shaft Drive		
Cutting Width (in.)	60", 72" Side or Rear Discharge		
Weight (kg)	748	765	765
Cutting Height	1.0" - 5" (25-127mm)		
No. of Blades	3		
Seat Suspension	Reclining Suspension Seat	Reclining Suspension Seat	Air Suspension Seat
Mower Deck Lift	Hydraulic 2-Point Hitch with 90 Degree Tilt Angle		

# POWERFUL FRONT-MOUNT MOWERS



F3690



F3690

**7 SMOOTH, DIRECT POWER TRANSFER PTO SHAFT DRIVE**  
 Shaft drive means no belts or pulleys – just smooth and direct power transfer from the engine to the deck. Shaft drive also requires less maintenance and provides greater dependability.

**8 GREATER CONVENIENCE OPERATOR LEVERS**  
 For easier operation and greater convenience, the high/low speed and deck-lifting levers are positioned beside your seat. Lever guides have also been designed for quick, at-a-glance identification.

**9 AT A GLANCE DIGITAL PANEL**  
 Easier-to-read LCD and LED digital panel delivers vital information about your F-Series mower at a glance, including engine speed, remaining fuel, water temperature, and hour meter.

**10 SIMPLE ROUTINE MAINTENANCE 90-DEGREE TILT MOWER DECK**  
 The mower deck lifts a full 90 degrees, giving you unobstructed access to the blades and deck underside for easier cleaning and maintenance.

**11 LARGE CAPACITY FUEL TANK**  
 A large 61-litre fuel tank means more time working and less time fuelling up, even on long jobs. The refuelling pipe is now conveniently located right behind the ROPS\*.

**12 HARD-WORKING DECK MULTI-V-BELT/STEEL PULLEYS**  
 In addition to providing greater wear resistance, the heavy-duty cast-iron pulleys and a multi-V-belt drive system effectively distribute and reduce tension while transmitting power to the mower blades. The multi-V-belt won't twist or slip, thus reducing the chance of damage to the mower. You get more performance and power – and fewer problems.



\*Rollover Protective Structure (ROPS).

# LAWN CARE EQUIPMENT

Cut your maintenance jobs down to size with Kubota's superior selection of lawn care equipment. Select the best fit for your property from a range of handheld blowers, brushcutters, hedge trimmers and walk-behind mowers. Each machine is built to Kubota's exacting standards, so you know they're as high-performing as they are hard-wearing.

HANDHELD BLOWER	KBL31
Engine Type	2-Stroke
Displacement	30.1CC
Max Output (kW)	1
Max Airflow	780m3/H
Air Speed	73M/S
Weight (kg)	4.3

HEDGE TRIMMER	KHT23D
Engine Type	2-Stroke
Displacement	22.5CC
Max Output (kW)	0.77
Handle	180-Degree Swivel Handle with 5 Positions
Blade	600mm Blade Length, 2.5mm Blade Thickness
Weight (kg)	5.4

BRUSHCUTTERS	KBC26-RS	KBC26H-RS	KBC30H-RS
Engine Type		2-Stroke	
Displacement	25.4CC	25.4CC	30.2CC
Max Output (kW)		0.83	1
Weight (kg)	5.8	6.2	6.1

WALK BEHIND MOWERS	W821S	W821SC
Type	2-Speed Self Propelled with 21" Mower Decks	
Engine Type	Air-Cooled, 4-Cycle OHV, Single-Cylinder	
Displacement	163cm <sup>3</sup>	
Max Output (kW)	3.2	3.5
Deck Material	Reinforced Cast Aluminium	
Mowing Height	15, 26, 37, 47, 57, 67 and 77mm	22, 32, 42, 52, 62, 72 and 82mm
Grass Bag Capacity	75 Litre	
Blade Engagement	Blade Brake Clutch	



HANDHELD BLOWER



WALK-BEHIND MOWERS



HEDGE TRIMMER



BRUSHCUTTERS

# BX SERIES

## SUB-COMPACT TRACTORS

From mowing lawns to moving soil, slashing paddocks or digging a trench, Kubota's BX Series is the all-rounder for lifestyle property maintenance. Compact in design yet powerful in performance, the sub compact BX Series tractor range is designed to tackle a range of jobs with ease. Boasting exceptional manoeuvrability, even in the tightest of spaces.

**1 POWERFUL AND RELIABLE**

**KUBOTA DIESEL ENGINE**

Equipped with 3-cylinder, 18, 23 & 25.5 HP liquid-cooled diesel engines.

**2 EASY OPERATION**

**TRANSMISSION**

2-range hydrostatic transmission controlled by a single foot pedal for easy speed selection for different jobs.

**3 CONTROL**

**UNIQUE 4WD**

Offers greater traction for demanding jobs.

**4 COMFORT**

**OPERATOR AREA**

Deluxe reclining high-back seat, spacious operator area, cruise control and easy-to-reach controls for maximum comfort.

**5 PULLING POWER**

**CATEGORY 1, 3-POINT HITCH**

310kg lifting capacity to tackle tough jobs.

**6 ATTACHMENTS**

**MOWER DECK**

Switching between mowing lawns and front end loader work has never been easier. The BX front end loader can be attached and detached without leaving the driver's seat, while the mower deck and backhoe can be removed in just seconds.

BX SERIES FEATURES



SPECIFICATIONS	BX1880	BX2380	BX2680	BX23S
Engine Type (Kubota)	3-Cylinder			
Engine HP	18	23	25.5	23
PTO HP	13.7	17.7	19.5	17.7
Transmission	HST (2 Range)			
Rear Linkage Capacity (kg)	310			
Weight (kg)	606	650	670	712
<b>MOWER DECK ATTACHMENT</b>	<b>AVAILABLE</b>			
Cutting Width (in.)	54"	54" & 60"	54" & 60"	54" & 60"
Number Of Blades	3			
Cutting Height	1" - 4" (25-102mm)			
Cutting Height Adjustment	1/4" Dial Gauge			

## B SERIES

### PREMIUM TRACTORS

The Kubota B Series range offers exceptional power, versatility and comfort. Available from 23 to 31 HP, the range is powered by Kubota’s reliable diesel engines. Available with performance matched implements, including mower decks, that are easy to attach and detach, the B Series is the ideal range for the operator who wants an efficient tractor capable of performing a wide variety of farming, turf, garden and landscaping jobs.

- 1 ENGINE**  
**KUBOTA DIESEL ENGINE**  
 Smooth running 3 or 4-cylinder diesel engines ranging from 23-31 HP.
- 2 TRANSMISSION**  
**SMOOTH OPERATION**  
 Proven Kubota hydrostatic transmission with 3 range speed shifting to find the right speed to suit your task.
- 3 3-POINT HITCH**  
**LIFT CAPACITY**  
 Massive lift capacity and easy attachment of implements with telescopic stabilisers and lower link ends available.
- 4 OPERATOR AREA**  
**USER-FRIENDLY**  
 Control levers are conveniently arranged on the left and right consoles. Switches are concentrated around the instrument panel.
- 5 PTO**  
**PLENTY OF POWER**  
 Enough power for heavy-duty work. Rear and mid PTO models available.
- 6 ATTACHMENTS**  
**TOOLS TO DO MULTIPLE JOBS**  
 Quick attach front-end loader, mower deck and backhoe available to tackle almost any job.
- 7 MAINTENANCE**  
**EASY ACCESS**  
 Performing routine maintenance is simple with all daily checks easily accessible under the one-piece metal bonnet.
- 8 FUNCTIONALITY**  
**MODEL TO SUIT YOUR NEEDS**  
 B3150 tractors available in standard, factory cabin and utility models.

B SERIES FEATURES



SPECIFICATIONS	B2301	B2601	B3150HD	B3150HDCC
Engine Type (Kubota)	3-Cylinder	3-Cylinder	4-Cylinder	4-Cylinder
Engine HP	22.0	25.5	31.0	31.0
Operator Station	ROPS*	ROPS*	ROPS*	CAB
PTO HP	17.5	19.5	23.7	23.7
Transmission	HST (3 Range)			
Rear Linkage Capacity (kg)	640	640	760	760
Weight (kg)	710	740	840	1035
DECK ATTACHMENT		AVAILABLE		
Cutting Width (in.)	54" & 60"	54" & 60"	60" & 72"	60" & 72"
Number Of Blades	3			
Cutting Height	1" - 4" (25-102mm)			
Cutting Height Adjustment	1/4" Dial Gauge			

\*Rollover Protective Structure (ROPS). \*Weight with Loader, Backhoe and ROPS/FOPS.

**KUBOTA AUSTRALIA PTY LTD**

25-29 Permas Way

Truganina VIC 3029

Australia

Freecall: 1800 334 653

Email: [sales@kubota.com.au](mailto:sales@kubota.com.au)

[kubota.com.au](http://kubota.com.au)

**KUBOTA NEW ZEALAND LTD**

433 Rangitikei Street

Cloverlea 4412, Palmerston North

New Zealand

Freecall: 0800 582 682

Email: [sales@kubota.co.nz](mailto:sales@kubota.co.nz)

[kubota.co.nz](http://kubota.co.nz)

The company reserves the right to change the specifications without notice.  
This brochure is for descriptive purposes only. Please contact your local Kubota dealer for warranty information. For your safety, Kubota strongly recommends the use of a Rollover Protective Structure (ROPS) and seat belt for almost all applications.

**For Earth, For Life**  
**Kubota®**